

Curriculum vitae Europass



Informații personale

Nume / Prenume

Topală Florin-Ionel

Adresă(e)

Telefon(oane)

E-mail(uri)

Naționalitate(-ități)

Data nașterii

Sex

Locul de muncă vizat / Domeniul ocupațional

Asistent Universitar Disciplina de Protetică dentară

Experiența profesională

Perioada

2002-2008 – preparator universitar

2008 – prezent –asistent universitar

Funcția sau postul ocupat

Activități și responsabilități principale

Numele și adresa angajatorului

Tipul activității sau sectorul de activitate

Efectuarea stagiilor clinice cu studentii anului 3,4, 5 si 6 la Disciplina de Protetică dentară
Facultatea de Medicina Dentara UMF „Victor Babes” Timisoara, Piata Eftimie Murgu nr.2
Invatamint Universitar

Educație și formare

Perioada

1. 05.03.2005 – 05.03.2008

Calificarea / diploma obținută

1. Medic specialist – chirurgie dento-alveolară

Disciplinele principale studiate /
competențe profesionale dobândite

Protetică dentară

Numele și tipul instituției de învățământ
/ furnizorului de formare

Facultatea de Medicina Dentara UMF „Victor Babes” Timisoara

Nivelul în clasificarea națională sau
internățională

ISCED 7

Aptitudini și competențe personale

Limba(i) maternă(e) Romana

Limba(i) străină(e) cunoscută(e)

Autoevaluare

Nivel european (*)

Limba Engleza

Engleza

Înțelegere				Vorbire				Scriere	
Ascultare		Citire		Participare la conversație		Discurs oral		Exprimare scrisă	
B2.	Utilizator elementar	B2.	Utilizator elementar	B2	Utilizator elementar	B2	Utilizator elementar	B2	Utilizator elementar

(*) Nivelul Cadrului European Comun de Referință Pentru Limbi Străine

Competențe și abilități sociale

Spirit de echipa, buna comunicare cu colegii si studentii.

Competențe și aptitudini organizatorice

Competențe și aptitudini tehnice

Stomatologie genrală
Protetică dentară

Competențe și aptitudini de utilizare a calculatorului

Abilitati in folosirea internetului si a serviciilor de posta electronica. Abilități în folosirea programelor din suita Microsoft Office.

Competențe și aptitudini artistice

Alte competențe și aptitudini

Hobby: electronica

Permis(e) de conducere

Categoria B

Informații suplimentare

Referintele pot fi furnizate la cerere

Anexe

Articole si carti publicate 2002 - prezent

1. Tampa M, Matei C, Georgescu S-R, Poteca T, Sinescu C, IONEL F, et al. Time domain optical coherence tomography evaluation of the human skin. Skin Res Technol. 2001;7:1-9.
2. Porojan S, Topala F, Porojan L. Finite element analysis of roots restored with metallic posts and ceramic crowns during occlusal movement. Recent Advances in Computer Science. 2002(14):193-6.
3. Jivănescu A, Topală F, Bratu D. Opțiuni de estetică dento-facială: curs pentru studenții Facultății de Medicină Dentară: Lito UMFT; 2004.
4. Goguta L, Marsavina L, Bratu D, Topala F. Impact strength of acrylic heat curing denture base resin reinforced with E-glass fibers. Temporomandibular Joint Disorders. 2006;56(1):88-91.
5. Jivănescu A, Topală F, Bratu D. Estetică dento-facială: îndreptar de lucrări practice pentru studenții Facultății de Medicină Dentară: Lito UMFT; 2006.
6. Porojan S, Sandu L, Topala F, Bortun C, editors. Microplasma Welding Applied to Ni-Cr Alloys Used in Fixed Prosthodontics. Abstracts of the General Sessions of the Japanese Society for Dental Materials and Devices 50th General Session of the Japanese Society for Dental Materials and Devices in conjunction with International Dental Materials Congress 2007; 2007: The Japanese Society for Dental Materials and Devices.
7. Sandu L, Topala F, Bortun C, Porojan S, editors. Laser scanning applications for three-dimensional teeth models reconstruction. Proceedings of the 2nd International Conference on Lasers in Medicine, Timisoara, Romania; 2007.
8. Sandu L, Topala F, Faur N, Bortun C, Porojan S, editors. Design and Finite Element Analysis of Circumferential Cast Clasps. Abstracts of the General Sessions of the Japanese Society for Dental Materials and Devices 50th General Session of the Japanese Society for Dental Materials and Devices in conjunction with International Dental Materials Congress 2007; 2007: The Japanese Society for Dental Materials and Devices.
9. Mărcăuțeanu C, Demjan ET, Topală F, Jivănescu A. Noțiuni de ocluzologie: îndreptar de lucrări practice pentru studenții anului III: Universitatea de Medicină și Farmacie Victor Babeș; 2008.
10. Sandu L, Birdeanu V, Bortun C, Topala F, Porojan S. Laser welding optimizations for practical use in dental technology. Timisoara Medical Journal. 2008;58(3-4):212-7.
11. Sandu L, Topala F, Bortun C, Porojan S, Pop D. Experimental studies on microplasma welding in dental laboratory. TMJ. 2008;58:205-11.

12. Negrutiu M, Sinescu C, Goguta L, Topala F, Romînu M, Podoleanu A. Different Types of Fiber Reinforced All Dentures Bases Evaluated by En-Face Optical Coherence Tomography and Numerical Simulation. *World Academy of Science, Engineering and Technology*. 2009;53:1236-41.
13. Negruțiu M, Sinescu C, Topala F, Rominu M, Markovic D, Daniela P, et al., editors. En face optical coherence tomography investigation of interface fiber posts/adhesive cement/root canal wall. *European Conference on Biomedical Optics*; 2009: Optica Publishing Group.
14. Sandu L, Porojan S, Topala F, Ciuluvica R, Rusu M, Stana D. Postweld heat treatment on Ni-Cr cast Dental alloys. *Metalurgia International*. 2009;14:40-3.
15. SORIN P, LILIANA S, FLORIN T, VALENTIN B. Experimental studies on microplasma and laser welded dissimilar joints used in dental technology. *Medicine in Evolution*. 2009:61.
16. Demjan E, Mărcăuțeanu C, Bratu D, Sinescu C, Negruțiu M, Ionita C, et al., editors. Analysis of dental abfractions by optical coherence tomography. *Lasers in Dentistry XVI*; 2010: SPIE.
17. Enescu M, Sinescu C, Negrutiu M, Negru R, Marsavina L, Topala F, et al. Amalgam and composite resin interface investigation by optical coherence tomography. *Advances in Communications, Computers, Systems, Circuits and Devices*. 2010:316-22.
18. Goguta L, Sinescu C, Negrutiu M, Topala F, Groza I, Bratu D, et al. Scanning electron microscopy or optical coherence tomography for the evaluation of the glass fiber reinforced acrylic resin? *TMJ*. 2010;60:64-8.
19. Liliana S, Florin T, Sorin P, editors. Selection of the Optimal Removable Partial Denture Clasp Arm Design Using Finite Element Analysis. *AIP Conference Proceedings*; 2010: American Institute of Physics.
20. Marcauteanu C, Stoica E, Dorin B, Sinescu C, Negrutiu M, Florin T, et al. Microstructural characterization of non-carious cervical lesions by en face optical coherence tomography. *Timis Med J*. 2010;60:60-3.
21. Negrutiu ML, Sinescu C, Topala F, Nica L, Ionita C, Marcauteanu C, et al., editors. Root canal filling evaluation using optical coherence tomography. *Biophotonics: Photonic Solutions for Better Health Care II*; 2010: SPIE.
22. Negrutiu ML, Sinescu C, Topala F, Rominu M, Markovic D, Marcauteanu C, et al. Imaging of defects at the interface of fiber posts restored endodontically treated teeth. *Timisoara Medical Journal*. 2010;60(1):29-33.
23. Petrescu EL, Negrutiu ML, Sinescu C, Rominu R, Topala F, Maria PD, et al., editors. Atomic force microscopy and scanning electronic microscopy investigations of conditioned IPS empress e. max ceramic core. *Proceedings of the European conference of systems, and European conference of circuits technology and devices, and European conference of communications, and European conference on Computer science*; 2010.
24. Pop DM, Dodenciu D, Sinescu C, Negrutiu ML, Topala FI, Petrescu EL, et al., editors. Investigations of different types of welding in dental technology. *Advances in Communications, Computers, Systems, Circuits and Devices European Conference of Systems-Proceedings*; 2010: World Scientific and Engineering Acad Soc Athens.
25. Pop DM, Negrutiu ML, Sinescu C, Topala F, Glita G, Cozarov D, et al. Investigation and Evaluation of Laser Weldings Compared to Electrical Weldings of Various Dental Alloys. *TMJ*; 2010.
26. Porojan S, Sandu L, Topala F, Podariu A, Ciuluvica R, Nanea M, et al. Nondestructive Discontinuities Evaluations on Microplasma Welded Co-Cr Dental Alloys. *METALURGIA INTERNATIONAL*. 2010;15:8-14.
27. Rominu M, Sinescu C, Negrutiu ML, Rominu RO, Pop DM, Topala F, et al., editors. Adhesive improvement in optical coherence tomography combined with confocal microscopy for class V cavities investigations. *Medical Imaging 2010: Biomedical Applications in Molecular, Structural, and Functional Imaging*; 2010: SPIE.
28. Sandu L, Porojan S, Topala F, Ciuluvica R, Stana D, Alexandrescu C. Digital evaluation of discontinuities on dental alloys microplasma welds. *Metalurgia International*. 2010;15:24-7.
29. Sandu L, Topală F, Porojan S. Stress distribution in retentive arms of combination clasps used on premolars. *Journal of Applied Biomaterials and Biomechanics*. 2010;8(2):76-81.
30. Sinescu C, Negrutiu M, Ionita C, Negru R, Bradu A, Pop DM, et al. Multiple possibilities in detection of materials defects in ceramic fixed partial prostheses. Numerical simulation and photoelasticity methods employed for evaluation and prognosis. *Timisoara Medical Journal*. 2010;60(1):50-5.
31. Sinescu C, Negrutiu ML, Ionita C, Marsavina L, Negru R, Caplescu C, et al., editors. Morphological characterization of dental prostheses interfaces using optical coherence tomography. *Medical Imaging 2010: Biomedical Applications in Molecular, Structural, and Functional Imaging*; 2010: SPIE.
32. Sinescu C, Negrutiu ML, Ionita C, Topala F, Petrescu E, Rominu R, et al., editors. Radiographic, micro computer tomography and optical coherence tomography investigations of ceramic interfaces. *Asia Communications and Photonics Conference and Exhibition*; 2010: Optica Publishing Group.
33. Soicu A, Sinescu C, Negrutiu M, Topala F, Rominu R, Petrescu E, et al., editors. Technological aspects, numerical simulation and noninvasive imagistic approach on resin bonded fixed partial prosthesis. *Proceedings of the European conference of systems, and European conference of circuits technology and devices, and European conference of communications, and European conference on Computer science*; 2010.
34. Stoica E, Marcauteanu C, Dorin B, Negrutiu M, Cosmin S, Florin T, et al. En face optical coherence tomography investigation of pathological dental wear. *Timisoara Medical Journal*. 2010;60(1):74-7.
35. Todea C, Negrutiu ML, Balabuc C, Sinescu C, Topala FI, Marcauteanu C, et al. Optical coherence tomography applications in dentistry. *Timisoara Medical Journal*. 2010;60(1):5-17.
36. Topala FI, Sandu L, Porojan S, Faur N. 3D modeling and simulation of inlay restored posterior teeth. *TMJ*. 2010;60(1):69-73.
37. Emanuela P, Lavinia NM, Cosmin S, Roxana R, Florin T, Mihai R, et al., editors. Non-invasive imagistic investigations of repaired IPS empress e. max all ceramic crowns all ceramic crowns. *Proceedings of the 4th WSEAS international conference on Energy and development-environment-biomedicine*; 2011.

38. Marcauteanu C, Negrutiu M, Sinescu C, Stoica ET, Ionita C, Florin T, et al., editors. Early characterization of occlusal overloaded cervical dental hard tissues by en face optical coherence tomography. Optical Coherence Tomography and Coherence Techniques V; 2011: SPIE.
39. Mărcăuțeanu C, Negruțiu M, Sinescu C, Stoica ET, Ioniță C, Florin T, et al., editors. Early characterization of occlusal overloaded cervical dental hard tissues by en face optical coherence tomography. European Conference on Biomedical Optics; 2011: Optica Publishing Group.
40. Negrutiu ML, Nica L, Sinescu C, Topala F, Ionita C, Bradu A, et al., editors. SEM and microCT validation for en face OCT imagistic evaluation of endodontically treated human teeth. Medical Imaging 2011: Physics of Medical Imaging; 2011: SPIE.
41. Negruțiu ML, Sinescu C, Topală F, Ioniță C, Mărcăuțeanu C, Petrescu EL, et al., editors. Imagistic evaluation of direct dental restoration: en face OCT versus SEM and microCT. European Conference on Biomedical Optics; 2011: Optica Publishing Group.
42. Negrutiu ML, Sinescu C, Topala FI, Ionita C, Goguta L, Marcauteanu C, et al., editors. Optical investigations of various polymeric materials used in dental technology. Optical Complex Systems: OCS11; 2011: SPIE.
43. Negruțiu M-L, Ogodescu A, Petrescu E-L, Sinescu C, Topală FI, Pop DM, et al., editors. En face OCT imagistic evaluation and laser microspectral analysis for assessing microleakage at the prosthetic interfaces. Proceedings of the 11th WSEAS international conference on Applied informatics and communications, and Proceedings of the 4th WSEAS International conference on Biomedical electronics and biomedical informatics, and Proceedings of the international conference on Computational engineering in systems applications; 2011.
44. Negrutiu M-L, Sinescu C, Draganescu G, Rominu RO, Rominu M, Rusu L-C, et al. Laser microspectral analysis for validation of en-face OCT imagistic evaluation of microleakage between the metallic framework and veneer materials in fixed partial prostheses. Rev Chim. 2011;62(10):1185-8.
45. Petrescu E, Negrutiu LM, Sinescu C, Pop DM, Rominu M, Ogodescu A, et al., editors. OCT and SEM imagistic investigations of composite resin-IPS empress ceramic interfaces. International Conference on Environment, Economics, Energy, Devices, Systems, Communications, Computers, Pure and Applied Mathematics; 2011: World Scientific and Engineering Academy and Society (WSEAS).
46. Petrescu E, Negrutiu ML, Sinescu C, POP D, Rominu R, Topala F, et al., editors. Qualitative study of repaired metal ceramic crowns. Proceedings of the 13th WSEAS international conference on mathematical methods, computational techniques and intelligent systems, and 10th WSEAS international conference on non-linear analysis, non-linear systems and chaos, and 7th WSEAS international conference on dynamical systems and control, and 11th WSEAS international conference on Wavelet analysis and multirate systems: recent researches in computational techniques, non-linear systems and control; 2011.
47. Petrescu E, Negruțiu ML, Sinescu C, Rominu R, Topala F, Rominu M, et al. Non-invasive imagistic investigations of repaired IPS Empress e. max all ceramic crowns. 2011.
48. Pop DM, Rominu M, Topala FI, Sinescu C, Dodenciu D, Rominu R, et al. Laser weldings versus electrical weldings in dental technology. A a corrosion approach study Revista de Chimie. 2011;62(12):1203-5.
49. Porojan S, Sandu L, Topală F. Microscopic Analysis of Welded Dental Alloys. International Journal of Biomedical and Biological Engineering. 2011;5(6):240-3.
50. Porojan S, Sandu L, Topală F. Laser Welded Ni-Cr Dental Alloys Inspection. International Journal of Biomedical and Biological Engineering. 2011;5(11):570-3.
51. Porojan S, Sandu L, Topală F, editors. Finite element analysis of molars restored with complete cast crowns. Proceedings of the 13th WSEAS international conference on Mathematical and computational methods in science and engineering; 2011.
52. Porojan S, Sandu L, Topala FI. VISUAL INSPECTION OF LASER WELDED NI-CR DENTAL ALLOYS. Annals of DAAAM & Proceedings. 2011.
53. Rusu L-C, Ardelean L, Negrutiu M-L, Dragomirescu A-O, Albu MG, Ghica MV, et al. SEM for the general structural features assesing of the synthetic polymer scaffolds. Rev Chim. 2011;62:841-5.
54. Sandu L, Porojan S, Topală F. Sisteme speciale utilizate în tehnologia restaurărilor protetice compozite: Lito UMF" Victor Babeș; 2011.
55. Sandu L, Topala F, Porojan S. FEA for teeth preparations marginal geometry. International Journal of Mathematical and Computational Sciences. 2011;5(6):849-52.
56. Sandu L, Topală F, Porojan S. Stress distribution in premolars with MOD cast metal restorations. Worls Scientific and Engineering Academy and Society (WSEAS). 2011;15(1):356-60.
57. Sandu L, Topală F, Porojan S. Stresses in Cast Metal Inlays Restored Molars. World Academy of Science, Engineering and Technology. 2011;5:2142-5.
58. Sandu L, Topală F, Porojan S. Marginal design evaluation for CAM obtained Zirconia based crown frameworks. Advanced Materials Research. 2011;213:349-53.
59. Sandu L, Topala FI, Porojan S. FINITE ELEMENT EVALUATION OF CAST METAL CROWNS MARGIN GEOMETRY. Annals of DAAAM & Proceedings. 2011.
60. Sandu L, Topala FI, Porojan S. INVESTIGATION OF STRESSES IN TEETH PREPARED WITH DIFFERENT TAPERS AND RESTORED WITH CAST CROWNS. Annals of DAAAM & Proceedings. 2011.
61. Sinescu C, Marsavina L, Negrutiu M-L, Rusu L-C, Ardelean L, Ionita C, et al. Confocal microscopy combined with time domain optical coherence tomography and micro computer tomography in interface evaluation of class II direct composite restoration. Rev Chim. 2011;62(10):1039-41.

62. Sinescu C, Negrutiu M, Topala F, Ionita C, Negru R, Fabriky M, et al., editors. Ceramic and polymeric dental onlays evaluated by photo-elasticity, optical coherence tomography, and micro-computed tomography. Optical Complex Systems: OCS11; 2011: SPIE.
63. Sinescu C, Negrutiu ML, Ionita C, Marsavina L, Negru R, Topala F, et al., editors. Biomedical implications of dental-ceramic defects investigated by numerical simulation, radiographic, microcomputer tomography, and time-domain optical coherence tomography. Optical Complex Systems: OCS11; 2011: SPIE.
64. Fabriky M, Todea C, Sinescu C, Negrutiu M-L, Ardelean L, Rusu L-C, et al. Integral ceramic inlay evaluation by time domain optical coherence tomography. Rev Chim. 2012;63(6):633-335.
65. Liliana S, Florin T, Sorin P. Finite element study on corono-radicular restored teeth. International Journal of Modeling and Optimization. 2012;2(3):342.
66. Mărcăuțeanu C, Topală F, Negrutiu ML, Stoica ET, Sinescu C. 3D finite element analysis of restorative materials used in dental abfractions. Solid State Phenomena. 2012;188:82-6.
67. Negrutiu ML, Sinescu C, Topala FI, Goguta L, Marcauteanu C, Ogodescu A, et al. Defectoscopy of denture polymers. Mater Plast Elastomeri Fibre Sint. 2012;49(2):129-32.
68. Ogodescu A, Sinescu C, Negrutiu ML, Naghib R, Topală F, Dodenciu D, et al. Investigation of an Advanced Material for the Infiltration of White Spot Lesions in Orthodontics. Solid State Phenomena. 2012;188:87-92.
69. Petrescu E, Rominu M, Negrutiu ML, Sinescu C, Fabriky M, Ardelean L, et al. AFM Analysis of Conditioned IPS Empress Ceramic Core. REVISTA DE CHIMIE. 2012;63(6):584-6.
70. Petrescu EL, Negrutiu MI, Pop DM, Rominu RO, Topala FI, Fabriky M, et al. Comparative and non-invasive study of two different ceramic materials. Revista de Chimie. 2012;63(2):179-81.
71. Ples H, Sinescu C, Florea L, Topala FI, Rusu LC, Cires DN, et al. Plastination biopsy samples from the central nervous system as a solution for time domain optical coherence tomography noninvasive investigation method. Mat Plast. 2012;49:201.
72. Porojan S, Sandu L, Topală F. Visual Evaluation of Cast Dental Alloys Welds Discontinuities in the Field of Fixed Prosthodontics. Advanced Materials Research. 2012;383:4058-64.
73. Rominu RO, Popa M, Sinescu C, Negrutiu ML, Pop DM, Rusu LC, et al. The use of spectral domain optical coherence tomography in orthodontics. Materiale Plastice. 2012;49(2):99-100.
74. Sandu L, Porojan S, Topală F. Marginal Adaptation of Cast Metallic Dental Crowns Using Microplasma Welding Procedures. Advanced Materials Research. 2012;383:4051-7.
75. Sandu L, Porojan S, Topala F, Ciuluvica R, Stana D. STRESS DISTRIBUTION IN TEETH RESTORED WITH DIFFERENT CAST CROWN MATERIALS. Metalurgia International. 2012;17(3):116.
76. Sandu L, Topală F, Porojan S. Stress analysis in ceramic inlays restored premolars. Advanced Materials Research. 2012;503:363-6.
77. Sandu L, Topală F, Porojan S. Stresses in Teeth and Overlying Crowns. Advanced Materials Research. 2012;457:567-71.
78. Sandu L, Topală F, Porojan S. Finite Element Study on Corono-Radicular Restored Premolars. International Journal of Biomedical and Biological Engineering. 2012;6(11):530-3.
79. SANDU L, TOPALĂ F, POROJAN S. Effect of preparation depth on stress distribution in premolars restored with MOD pressed ceramics inlays. Recent Researches in Medicine and Medical Chemistry. 2012;111(1):183-6.
80. Sinescu C, Marsavina L, Negrutiu M-L, Rusu L-C, Ardelean L, Rominu M, et al. New metallic nanoparticles modified adhesive used for time domain optical coherence tomography evaluation of class II direct composite restoration. Rev Chim. 2012;63(4):380-3.
81. Sinescu C, Negrutiu ML, Rominu RO, Rusu LC, Topala FI, Rominu M, et al. Time domain optical coherence tomography evaluation of polymeric fixed partial prostheses. Materiale Plastice. 2012;49(1):58-61.
82. Canjau S, Sinescu C, Todea C, Topala F, Rusu LC, Paraschivescu EG, et al. Optical coherence tomography as an alternative method for excisional biopsy in oral pathology. Revista de Chimie. 2013;64(7):733-5.
83. Cănjău S, Todea C, Sinescu C, Negruțiu ML, Duma V, Mănescu A, et al., editors. Optical imaging of oral pathological tissue using optical coherence tomography and synchrotron radiation computed microtomography. European Conference on Biomedical Optics; 2013: Optica Publishing Group.
84. Ciuluvica R, Porojan L, Porojan S, Topala F. CORROSION RESISTANCE OF NI-CR BASE METAL DENTAL ALLOYS. Metalurgia International. 2013;18(8):174.
85. Matei C, Tampa M, Georgescu S-R, Poteca T, Sinescu C, Topala FI, et al. Plastinated tissue evaluation by optical coherence tomography. Revista de Chimie. 2013;64(7):713-4.
86. Naiche D, Topala F, Jivanescu A, Bratu E, Todea C. An „in vitro” Investigation on Retentive Characteristics of Acrylic Resin Overdentures with Bar/Rider Connection System. MATERIALE PLASTICE. 2013;50(4):285-9.
87. Negruțiu ML, Sinescu C, Canjau S, Manescu A, Topală FI, Hoinoiu B, et al., editors. Bone regeneration assessment by optical coherence tomography and MicroCT synchrotron radiation. European Conference on Biomedical Optics; 2013: Optica Publishing Group.
88. Porojan L, Porojan S, Topala F, Ciuluvica R. Adaptation accuracy of full crowns. Metalurgia International. 2013;18(8):171.
89. Porojan L, Topală F, Porojan S. Effect of Ferrule Designs on Stresses of Endodontically Treated Teeth Restored with Pressed Ceramics. Applied Mechanics and Materials. 2013;404:158-63.
90. Porojan L, Topală F, Porojan S. Numerical Simulation of the Occlusal Contacts in Roots Restored with Complete Ceramic Materials. Applied Mechanics and Materials. 2013;404:152-7.

91. Porojan S, Sandu L, Topala F, Ciuluvica R, Alexandrescu C. ADAPTATION ACCURACY OF INLAYS AND ONLAYS. *Metalurgia International*. 2013;18(5):273.
92. Porojan S, Topală F, Porojan L. Importance of the Meshing Accuracy for Stress Evaluation in All-Ceramic Restored Teeth. *Applied Mechanics and Materials*. 2013;404:112-7.
93. Rusu L-C, Negruțiu M-L, Sinescu C, Hoinoiu B, Topala F-I, Duma V-F, et al., editors. Time domain optical coherence tomography investigation of bone matrix interface in rat femurs. *International Symposium on Photoelectronic Detection and Imaging 2013: Fiber Optic Sensors and Optical Coherence Tomography*; 2013: SPIE.
94. Sandu L, Porojan S, Topala F, Ciuluvica R, Stana D. FERRULE HEIGHT EFFECT ON STRESSES IN CORONORADICULAR RESTORED PREMOLARS-A FINITE ELEMENT STUDY. *Metalurgia international*. 2013;18(3):95-100.
95. Canjau S, Todea C, Sinescu C, Duma V-F, Topala FI, Podoleanu AG, editors. Imaging of oral pathological tissue using optical coherence tomography. *Fifth International Conference on Lasers in Medicine: Biotechnologies Integrated in Daily Medicine*; 2014: SPIE.
96. Cănjău S, Todea C, Sinescu C, Negrutiu ML, Duma V, Mănescu A, et al. Optical imaging of oral squamous cell carcinoma using optical coherence tomography and micro CT. *Key Engineering Materials*. 2014;587:331-7.
97. Demian D, Duma V-F, Sinescu C, Negrutiu ML, Cernat R, Topala FI, et al. Design and testing of prototype handheld scanning probes for optical coherence tomography. *Proceedings of the Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine*. 2014;228(8):743-53.
98. Duma V-F, Negrutiu ML, Sinescu C, Rominu M, Miutescu E, Burlea A, et al., editors. Towards a research pole in photonics in Western Romania. *12th Education and Training in Optics and Photonics Conference*; 2014: SPIE.
99. Hutiu G, Bradu A, Podoleanu AG, Demian D, Duma V-F, Sinescu C, et al. Engineers, Part H: *Journal of Engineering in*. 2014.
100. Leretter M, Căndea A, Topala F, editors. Photodynamic therapy in peri-implantitis. *Fifth International Conference on Lasers in Medicine: Biotechnologies Integrated in Daily Medicine*; 2014: SPIE.
101. Marcauteanu C, Bradu A, Sinescu C, Topala FI, Negrutiu ML, Duma VF, et al., editors. The advantages of a swept source optical coherence tomography system in the evaluation of occlusal disorders. *Fifth International Conference on Lasers in Medicine: Biotechnologies Integrated in Daily Medicine*; 2014: SPIE.
102. Marcauteanu C, Bradu A, Sinescu C, Topala FI, Negrutiu ML, Podoleanu AG. Quantitative evaluation of dental abfraction and attrition using a swept-source optical coherence tomography system. *Journal of biomedical optics*. 2014;19(2):021108-.
103. Mărcăuțeanu C, Bradu A, Sinescu C, Topală FI, Negruțiu ML, Podoleanu AG, editors. Towards using spectral domain optical coherence tomography for dental wear monitoring. *Optical Coherence Tomography and Coherence Domain Optical Methods in Biomedicine XVIII*; 2014: SPIE.
104. Negruțiu ML, Sinescu C, Manescu A, Topală FI, Hoinoiu B, Mărcăuțeanu C, et al., editors. Imagistic evaluation of matrix bone interface. *Fifth International Conference on Lasers in Medicine: Biotechnologies Integrated in Daily Medicine*; 2014: SPIE.
105. Rominu M, Manescu A, Sinescu C, Negrutiu ML, Topala F, Rominu RO, et al. Zirconia enriched dental adhesive: a solution for OCT contrast enhancement. *Demonstrative study by synchrotron radiation microtomography. Dental Materials*. 2014;30(4):417-23.
106. Sinescu C, Bradu A, Topala FI, Negrutiu ML, Duma V-F, Podoleanu AG, editors. Integral ceramic superstructure evaluation using time domain optical coherence tomography. *Lasers in Dentistry XX*; 2014: SPIE.
107. Sinescu C, Topala FI, Negrutiu ML, Duma V-F, Podoleanu AG, editors. Temperature variation in metal ceramic technology analyzed using time domain optical coherence tomography. *Fifth International Conference on Lasers in Medicine: Biotechnologies Integrated in Daily Medicine*; 2014: SPIE.
108. Stoica ET, Marcauteanu C, Bradu A, Sinescu C, Topala FI, Negrutiu ML, et al., editors. Imaging of noncarious cervical lesions by means of a fast swept source optical coherence tomography system. *Fifth International Conference on Lasers in Medicine: Biotechnologies Integrated in Daily Medicine*; 2014: SPIE.
109. Canjau S, Todea C, Negrutiu ML, Sinescu C, Topala FI, Marcauteanu C, et al. Optical coherence tomography for non-invasive ex vivo investigations in dental medicine—A joint group experience. *Современные технологии в медицине*. 2015;7(1 (eng)):97-114.
110. Porojan L, Porojan S, Topală F, Savencu C. *Procedee computerizate aplicate în tehnologia protezelor dentare fixe*: Eurobit; 2015.
111. Dughir C, Popovschi AM, Cojocariu AC, Topala FI, Negrutiu ML, Sinescu C, et al., editors. Complete denture base assessments using holograms: dimensional alterations after different activation methods. *Sixth International Conference on Lasers in Medicine*; 2016: SPIE.
112. Liliana P, Florin T, Cristina S. Influence of the Veneering Thickness on Stresses in All-Ceramic Crowns. *Applied Mechanics & Materials*. 2016;835.
113. Marcauteanu C, Sinescu C, Negrutiu ML, Stoica ET, Topala F, Duma VF, et al., editors. Evaluation of Tizian overlays by means of a swept source optical coherence tomography system. *Sixth International Conference on Lasers in Medicine*; 2016: SPIE.
114. Negrutiu M-L, Sinescu C, Bortun CM, Levai M-C, Topala FI, Crăciunescu EL, et al., editors. Assessment of dental plaque by optoelectronic methods. *Sixth International Conference on Lasers in Medicine*; 2016: SPIE.
115. Porojan L, Topală F, Porojan S. Load values influence on stresses in monolithic ceramic molar crowns. *International Journal of Theoretical and Applied Mechanics*. 2016;1:165-9.
116. Porojan L, Topală F, Porojan S. Biomechanical Behavior of all-ceramic crowns with Variable Thicknesses of Zirconia Frameworks. *Applied Mechanics and Materials*. 2016;835:97-102.

117. POROJAN L, TOPALĂ F, POROJAN S. Stress analyses applications on all-ceramic crowns with different designs. framework. 2016;47:31.59.
118. Porojan L, Topală F, Porojan S, Savencu C. Effect of alternative framework designs on stresses in zirconia-ceramic dental crowns. *International Journal of Biology and Biomedical Engineering*. 2016:102-8.
119. Porojan L, Topală F, Savencu C. Influence of the Veneering Thickness on Stresses in All-Ceramic Crowns. *Applied Mechanics and Materials*. 2016;835:91-6.
120. Stan A-T, Cojocariu A-C, Antal AA, Topala F, Sinescu C, Negrutiu ML, et al., editors. Marginal integrity evaluation of dental composite using optical coherence tomography. *Sixth International Conference on Lasers in Medicine*; 2016: SPIE.
121. Stoica ET, Marcauteanu C, Sinescu C, Negrutiu ML, Topala F, Duma VF, et al., editors. All ceramic table tops analyzed using swept source optical coherence tomography. *Sixth International Conference on Lasers in Medicine*; 2016: SPIE.
122. Porojan L, Savencu CE, Topală FI, Porojan SD, editors. Surface texture and hardness of dental alloys processed by alternative technologies. *Journal of Physics: Conference Series*; 2017: IOP Publishing.
123. Porojan L, Topală F, editors. Failure analysis of various monolithic posterior aesthetic dental crowns using finite element method. *Journal of Physics: Conference Series*; 2017: IOP Publishing.
124. Porojan L, Topală F, Porojan S. Assessment of all-ceramic dental restorations behavior by development of simulation-based experimental methods. *Insights into Various Aspects of Oral Health*. 2017;173.
125. Porojan L, Topală F, Porojan S, Savencu C. Effect of frame design and veneering material on biomechanical behavior of zirconia dental crowns veneered with overpressing ceramics. *Dental materials journal*. 2017;36(3):275-81.
126. Sinescu C, Bradu A, Duma V-F, Topala F, Negrutiu M, Podoleanu AG. Effects of temperature variations during sintering of metal ceramic tooth prostheses investigated non-destructively with optical coherence tomography. *Applied Sciences*. 2017;7(6):552.
127. Goguta L, Topala F, Gavrilovici A, Jivanescu A, editors. Marginal fit of CAD CAM all ceramic inlays: preliminary study. *Seventh International Conference on Lasers in Medicine*; 2018: SPIE.
128. Hategan SI, Ionel TF, Goguta L, Gavrilovici A, Negrutiu ML, Jivanescu A. Powder and powder-free intra-oral scanners: Digital impression accuracy. *Primary dental journal*. 2018;7(2):40-3.
129. Marcauteanu C, Sinescu C, Toader M, Negrutiu ML, Mitroi FE, Stoica ET, et al., editors. Biomimetic Tizian'table tops' analyzed with swept source optical coherence tomography. *Seventh International Conference on Lasers in Medicine*; 2018: SPIE.
130. Mitroi FE, Sinescu C, Marcauteanu C, Muntean D, Negrutiu ML, Stoica ET, et al., editors. Confocal laser scanning microscopy versus digital microscopy in the analysis of the marginal adaptation of Tizian overlays. *Seventh International Conference on Lasers in Medicine*; 2018: SPIE.
131. Sinescu C, Barua S, Topala FI, Negrutiu ML, Duma V-F, Gabor AG, et al., editors. Dental impression technique using optoelectronic devices. *2nd Canterbury Conference on OCT with Emphasis on Broadband Optical Sources*; 2018: SPIE.
132. Szuhaneck C, Sinescu C, Todea C, Pop O, Duma V-F, Topala F, et al., editors. Optical coherence tomography study regarding the enamel structure before and after debonding. *Seventh International Conference on Lasers in Medicine*; 2018: SPIE.
133. Todor R, Negrutiu M-L, Sinescu C, Topala FI, Bradu A, Duma V-F, et al., editors. Investigation of firing temperature variation in ovens for ceramic-fused-to-metal dental prostheses using swept source optical coherence tomography. *2nd Canterbury Conference on OCT with Emphasis on Broadband Optical Sources*; 2018: SPIE.
134. Jivanescu A, Birkenheier N, ROTAR R, Topala F, Goguta L. Marginal fit of ceramic crowns fabricated with CAD-CAM technology using a direct and indirect digital workflow. *Journal of Clinical and Research Medicine*. 2019;3(3):1-6.
135. Topala FI, Rivis M, Hategan SI, Secosan A, Rotar R, Jivanescu A. Comparison of Marginal Fit Discrepancies of Lithium Disilicate Crowns Fabricated with different Milling Machines. *Revista de Chimie*. 2020;71(6):452-9.
136. Goguta L, Lungeanu D, Ille C, Rotar R, Leretter M, De Wever B, et al. Efficacy of PerioTabs, a NitrAdine-based gingiva brushing solution, on periodontally affected patients treated with fixed partial dentures: a randomized controlled study. *Quintessence Int*. 2021;58:292-8.
137. Maroiu A-C, Sinescu C, Duma V-F, Topala F, Jivanescu A, Popovici PM, et al. Micro-CT and Microscopy Study of Internal and Marginal Gap to Tooth Surface of Crenelated versus Conventional Dental Indirect Veneers. *Medicina (1010660X)*. 2021;57(8).
138. Măroiu A-C, Sinescu C, Duma V-F, Topală F, Jivănescu A, Popovici PM, et al. Micro-CT and microscopy study of internal and marginal gap to tooth surface of crenelated versus conventional dental indirect veneers. *Medicina*. 2021;57(8):772.
139. Orel L, Velea-Barta O-A, Nica L-M, Boscornea-Puşcu A-S, Horhat RM, Talpos-Niculescu R-M, et al. Evaluation of the shaping ability of three thermally treated nickel–titanium endodontic instruments on standardized 3D-printed dental replicas using cone-beam computed tomography. *Medicina*. 2021;57(9):901.
140. Porojan L, Toma F, Vasiliu R, Topală F, Porojan S, Matichescu A. Optical Properties and Color Stability of Dental PEEK Related to Artificial Ageing and Staining. *Polymers* 2021, 13, 4102. s Note: MDPI stays neutral with regard to jurisdictional claims in published ...; 2021.
141. Porojan L, Toma FR, Vasiliu RD, Topală F-I, Porojan SD, Matichescu A. Optical properties and color stability of dental PEEK related to artificial ageing and staining. *Polymers*. 2021;13(23):4102.
142. Porojan L, Topală F. Influence of the material on stress distribution in aesthetic monolithic complete dental crowns. *WSEAS Transactions on Molecular Sciences and Applications*. 2021;1:9-12.

143. Savencu C, Porojan L, Topală F. Comparative evaluation of marginal and internal fit of anatomic and nonanatomic metal frameworks fabricated by selective laser sintering. WSEAS Transactions on Molecular Sciences and Applications. 2021;1:31-4.
144. Țogoe M-M, Crăciunescu E-L, Topală F-I, Sinescu C, Nica LM, Ioniță C, et al. Endodontic fillings evaluated using en face OCT, microCT and SEM. Romanian Journal of Morphology and Embryology. 2021;62(3):793.
145. Topala F, Nica L-M, Boariu M, Negrutiu ML, Sinescu C, Marinescu A, et al. En-face optical coherence tomography analysis of gold and silver nanoparticles in endodontic irrigating solutions: An in vitro study. Experimental and therapeutic medicine. 2021;22(3):1-6.
146. Măroiu A-C, Sinescu C, Duma V-F, Topală F, Jivănescu A, Popovici PM, et al., editors. Crenelated versus conventional ceramic dental veneers: microscopy and micro-CT evaluation of marginal and internal fit to tooth surface. Advances in 3OM: Opto-Mechatronics, Opto-Mechanics, and Optical Metrology; 2022: SPIE.
147. Porojan L, Topală F, Porojan S. Varied simulation-based stress analyses on zirconia all-ceramic crowns. WSEAS Transactions on Molecular Sciences and Applications. 2022;2:1-4.
148. Goguță LM, Topală F, Faur A, Jivănescu A. Influence of the Printing Angle on the Accuracy of 3D-Printed Interim Fixed Partial Dentures: An In Vitro Study. Timisoara Med. 2023;2023(1):0-.
149. Igreț A, Rotar RN, Ilie C, Topală F, Jivănescu A. Marginal fit of milled versus different 3D-printed materials for provisional fixed dental prostheses: an in vitro comparative study. Medicine and Pharmacy Reports. 2023;96(3):298.